



RCT-950

COMMERCIAL TREADMILL



Power Requirement:220V/50/60HZ
 Horse Power:4.0HP
 Speed:0.8-20km/h
 Incline:0-20%
 Occupying area:2160x910x1600(mm)/85x35.8x63(in)
 Belt size:550x3300(mm)/21.7x129.9(in)
 Running Board:Hard wearing pine board
 G.W/N.W:230KG 507lbs/260KG 573lbs
 Display:LCD Touch Screen
 Inverter:Imported control inverter from Mitsubishi
 Function:USB,MP3,Self -stop and Emergency Stop,5 program of speed,5 program of Incline
 LED Display:Time,Distance,Incline,Speed,Heart Rate,400m Lane,Calorie.
 Training Model:Manual P1-P4,32 programs with one self-defined program, which have mountain and hill system



RCT-900A

COMMERCIAL TREADMILL



Power Requirement:220V/50/60HZ
 Horse Power:4.0HP
 Speed:0.8-20km/h
 Incline:0-20%
 Occupying area:2170x930x1650(mm)/85.4x36.6x65(in)
 Belt size:550x3300(mm)/21.7x129.9(in)
 Running Board:Hard wearing pine board
 G.W/N.W:230KG 507lbs/260KG 573lbs
 Display:LCD Touch Screen
 Inverter:Imported control inverter from Mitsubishi
 Function:USB,MP3,Self -stop and Emergency Stop,5 program of speed,5 program of Incline
 LED Display:Time,Distance,Incline,Speed,Heart Rate,400m Lane,Calorie.
 Training Model:Manual P1-P4,32 programs with one self-defined program, which have mountain and hill system



CARDIO

RCT-900M

COMMERCIAL TREADMILL



Power Requirement:220V/50/60HZ

Horse Power:4.0HP

Speed:0.8-20km/h

Incline:0-20%

Occupying area:2170x930x1650(mm)/85.4x36.6x65(in)

Belt size:550x3300(mm)/21.7x129.9(in)

Running Board:Hard wearing pine board

G.W/N.W:230KG 507lbs/260KG 573lbs

Display:LED

Inverter:Imported control inverter from Mitsubishi

Function:USB,MP3,Self-stop and Emergency Stop,5 program of speed,5 program of Incline

LED Display:Time,Distance,Incline,Speed,Heart Rate,400m Lane,Calorie.

Training Model:Manual P1-P4,32 programs with one self-defined program,

which have mountain and hillsystem



RS-800

STAIR MILL



Step size :555X250mm

Dimensions:1570X760X2270(MM)

Step height:200mm

Max user weight :150KG

Power requirements:No power required

Generator power:1.25HP

Shipping weight capacity:300KG

Speed level :1-16

Ceiling Height:2.7m

Speed range:12-100 steps/min

Display:6-window LED display



RE-6600R

RECUMBENT BIKE



1)Console Function:Speed、Time、Distance、Pulse Calorie、12 User program、Watt、Wireless pulse control、Pulse recovery、Temperature

2)Main Detail:Fly Wheel weight(14KG)、EMS generate

3)Resistcane:32 level resistance

4)Size:1120x580x1460MM/44.1x22.8x57.5(in)

5)N.W/G.W:85kg 187lbs/92kg 203lbs

6)Max Weight:180KG 397lbs

7)Carton:Double-deck

RE-6600U

UPRIGHT BIKE



1)Console Function:Speed、Time、Distance、Pulse、Calorie、program、Watt、Wireless pulse control、Pulse recovery/Temperature

2)Main Detail:Fly Wheel weight(14KG)、EMS generate

3)Resistcane:32 level resistance

4)Size:1520x585x1130MM/59.8x23x44.5(in)

5)N.W/G.W:69KG 152lbs/75KG 165lbs

6)Max Weight:180KG 397lbs

7)Carton:Double-deck

RE-6800E

ELLIPTICAL BIKE



6 Windows LED Display

Electronic Watch Display Function:time,distance,calories, heart rate and stride

Preset Program:with 6 preset program manual mode, interval,weight loss,heart rate control,gluteal exercise, crosfit training

Resistance Control:16 levels of adjustable

Fixed Angle:20 degree

electromagnetic resistance

Power System of Control:self-power generation

Assybmly Size:2140X720X1780mm

84.3x28.3x70.1(in)

Net Weight:100kg Maxium Load:140kg 309lbs

RE-6900E

ELLIPTICAL BIKE



6 Windows LED Display

Electronic Watch Display Function:time,distance,calories, heart rate and stride

Preset Program:with 6 preset program manual mode, interval,weight loss,heart rate control,gluteal exercise, crosfit training

Resistance Control:16 levels of adjustable

Incline:10-35 degree 16 leve

electromagnetic resistance

Power System of Control:self-power generation

Assybmly Size:2140X720X1780mm

84.3x28.3x70.1(in)

Net Weight:100kg Maxium Load:140kg 309lbs

RE-6600E

ELLIPTICAL BIKE



6 Windows LED Display

Electronic Watch Display Function:time,distance,calories, heart rate and stride

Preset Program:with 6 preset program manual mode, interval,weight loss,heart rate control,gluteal exercise, crosfit training

Resistance Control:16 levels of adjustable

electromagnetic resistance

Power System of Control:self-power generation

Assybmly Size:2130x670x1780mm

83.9x26.4x70.1(in)

Net Weight:100kg Maxium Load:140kg 309lbs

RSB-260

SPINNING BIKE



Body Frame:The mainframe consists of a steel body of 2.5MM thickness,the whole bicycle is welded under the help of imported robot,which guarantees its firmness and good appearance

Flywheels:20kg casting wheel with chrome-coating treatment

Handlebars:Antiskidding material is used with a double kettle bracket provide

Cushion:More comfortable and made from silica gel and non-toxic materials

Crank:Cranks are industrially forged to effectively extend its usage life

Centre shaft:Using high-end spline center shaft is more durable

Size:1145(L)×630(W)×970(H)mm

45.1(L)×24.8(W)×38.2(H)in

Weight:gross weight 60kg/132lbs,net weight 58kg/128lbs